

# SAFETY DATA SHEET CARLUBE DFI MARINE OIL

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	CARLUBE DFI MARINE OIL	
Product number	MDI001	
1.2. Relevant identified uses of the substance or mixture and uses advised against		
Identified uses	Engine oil.	
1.3. Details of the supplier of	the safety data sheet	
Supplier	TETROSYL LIMITED	
	Bury	
	Lancashire	
	England	
	BL9 7NY	
	0161 764 5981	
	0161 797 5899	
	info@tetrosyl.com	
Manufacturer	TETROSYL LIMITED	
	Bury	
	Lancashire	
	England	
	BL9 7NY	
	0161 764 5981	
	0161 797 5899	
	info@tetrosyl.com	
1.4. Emergency telephone n	umber	
Emergency telephone	+44 (0)161 764 5981	
SECTION 2: Hazards identif	ication	
2.1. Classification of the sub	stance or mixture	
Classification (EC 1272/2008	3)	
Physical hazards	Not Classified	
Health hazards	Not Classified	
Environmental hazards	Not Classified	
2.2. Label elements		
Hazard statements	NC Not Classified	
Precautionary statements	P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children.	
2.3. Other hazards		
SECTION 2: Composition/int		

SECTION 3: Composition/information on ingredients

3.2. Mixtures		
DISTILLATES (PETROLEU KEROSINE - UNSPECIFIEI	M), HYDROTREATED LIGHT; D	10-<30%
CAS number: 64742-47-8	EC number: 265-149-8	
<b>Classification</b> Asp. Tox. 1 - H304		
PHENOL, (DIMETHYLAMIN ,POLYISOBUTYLENE DER CAS number: —		5-<10%
<b>Classification</b> Aquatic Chronic 3 - H412		
ISOOCTADECANOIC ACID	, REACTION	2.5-<5.0%
CAS number: —	EC number: 272-225-4	REACH registration number: 01- 2119960832-33-0000
<b>Classification</b> Skin Irrit. 2 - H315 Eye Irrit. 2 - H319		
MINERAL OIL - H304 (<3%	DMSO EXTRACT, IP 346)	1-<2.5%
CAS number: 64742-55-8	EC number: 265-158-7	REACH registration number: 01- 2119487077-29-0000
<b>Classification</b> Asp. Tox. 1 - H304		
The full text for all hazard sta	tements is displayed in Section 16.	
SECTION 4: First aid measu	res	
4.1. Description of first aid m	easures	
General information	-	inues. Remove affected person from source of sh air and keep warm and at rest in a position
Inhalation	If spray/mist has been inhaled, proceed as keep warm and at rest in a position comfort	follows. Move affected person to fresh air and able for breathing.
Ingestion	Contact physician if larger quantity has bee	n consumed. Rinse mouth thoroughly with water.
Skin contact	Remove contaminated clothing immediately	and wash skin with soap and water.
Eye contact	Rinse immediately with plenty of water. Rer apart. Continue to rinse for at least 15 minu	nove any contact lenses and open eyelids wide tes. Do not rub eye.
4.2. Most important symptom	s and effects, both acute and delayed	
General information	The severity of the symptoms described wil length of exposure. Effects may be delayed	I vary dependent on the concentration and the . Keep affected person under observation.

Inhalation	May cause an asthma-like shortness of breath. Vapours may cause headache, fatigue, dizziness and nausea.	
Ingestion	May cause discomfort if swallowed. May cause stomach pain or vomiting. May cause nausea, headache, dizziness and intoxication.	
Skin contact	Prolonged or repeated contact with skin may cause irritation, redness and dermatitis.	
Eye contact	May cause temporary eye irritation.	
4.3. Indication of any immediate medical attention and special treatment needed		
Notes for the doctor	No specific recommendations. If in doubt, get medical attention promptly.	
SECTION 5: Firefighting meas	sures	
5.1. Extinguishing media		
Suitable extinguishing media	Extinguish with the following media: Foam, carbon dioxide or dry powder. Use fire- extinguishing media suitable for the surrounding fire.	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.	
5.2. Special hazards arising from the substance or mixture		
Specific hazards	Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2). No unusual fire or explosion hazards noted.	
Hazardous combustion products	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Oxides of carbon.	
5.3. Advice for firefighters		
Special protective equipment for firefighters	Leave danger zone immediately.	
SECTION 6: Accidental releas	e measures	
6.1. Personal precautions, pro	tective equipment and emergency procedures	
Personal precautions	Follow precautions for safe handling described in this safety data sheet. Avoid inhalation of vapours. Avoid contact with eyes and prolonged skin contact. Provide adequate ventilation. In case of spills, beware of slippery floors and surfaces.	
6.2. Environmental precautions	<u>S</u>	
Environmental precautions	Avoid or minimise the creation of any environmental contamination. Do not discharge into drains or watercourses or onto the ground. Collect and dispose of spillage as indicated in Section 13.	
6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	Stop leak if possible without risk. Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Provide adequate	
	ventilation. Contain spillage with sand, earth or other suitable non-combustible material. Avoid the spillage or runoff entering drains, sewers or watercourses. Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely.	

# **Reference to other sections** Wear protective clothing as described in Section 8 of this safety data sheet. Collect and dispose of spillage as indicated in Section 13. The product contains a substance which is hazardous to aquatic organisms and which may cause long term adverse effects in the aquatic environment. See Section 12 for additional information on ecological hazards.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Usage precautions Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Do not eat, drink or smoke when using the product. Avoid the formation of mists. Provide adequate ventilation. Always remove oil with soap and water or skin cleaning agent, never use organic solvents. Do not use oil-contaminated clothing or shoes, and do not put rags moistened with oil into pockets.

#### 7.2. Conditions for safe storage, including any incompatibilities

 Storage precautions
 Keep containers upright. Store in tightly-closed, original container.

 7.3. Specific end use(s)
 The identified uses for this product are detailed in Section 1.2.

 SECTION 8: Exposure Controls/personal protection

#### 8.1. Control parameters

#### Occupational exposure limits

No exposure limits known for ingredient(s).

#### NAPHTHALENE

Long-term exposure limit (8-hour TWA): 10 53 Short-term exposure limit (15-minute): 15 80

## DIPHENYLAMINE

Long-term exposure limit (8-hour TWA): WEL 10 mg/m<sup>3</sup> Short-term exposure limit (15-minute): WEL 20 mg/m<sup>3</sup> WEL = Workplace Exposure Limit

#### 8.2. Exposure controls

#### **Protective equipment**





	_
Appropriate engineering controls	Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Nitrile rubber. It should be noted that liquid may penetrate the gloves. Frequent changes are recommended.
Other skin and body protection	Wear appropriate clothing to prevent repeated or prolonged skin contact.

Other information

None.

# CARLUBE DFI MARINE OIL

Hygiene measures	Wash contaminated clothing before reuse. Wash promptly with soap and water if skin becomes contaminated.	
Respiratory protection	No specific recommendations.	
SECTION 9: Physical and Chemical Properties		
9.1. Information on basic phys	ical and chemical properties	
Appearance	Clear liquid.	
Colour	Blue.	
Odour	Oil-like.	
Melting point	Not determined.	
Initial boiling point and range	192°C @	
Flash point	77°C	
Evaporation rate	Not determined.	
Upper/lower flammability or explosive limits	Not determined.	
Vapour pressure	Not determined.	
Vapour density	Not determined.	
Relative density	0.850g/cm³ @ 20°C	
Solubility(ies)	Insoluble in water.	
Partition coefficient	Not determined.	
Auto-ignition temperature	Not determined.	
Decomposition Temperature	Not determined.	
Viscosity	44 cSt @ 40°C	
9.2. Other information		

SECTION 10: Stability and reactivity 10.1. Reactivity Reactivity There are no known reactivity hazards associated with this product. 10.2. Chemical stability Stability No particular stability concerns. 10.3. Possibility of hazardous reactions Possibility of hazardous Not applicable. reactions 10.4. Conditions to avoid Conditions to avoid There are no known conditions that are likely to result in a hazardous situation. 10.5. Incompatible materials Materials to avoid No specific material or group of materials is likely to react with the product to produce a hazardous situation.

	n products	
Hazardous decomposition products	Does not decompose when used and stored as recommended. Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.	
SECTION 11: Toxicological info	ormation	
11.1. Information on toxicological effects		
SECTION 12: Ecological Inform	nation	
Ecotoxicity	Dangerous for the environment if discharged into watercourses. The product contains a substance which is harmful to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.	
12.1. Toxicity		
Acute toxicity - fish		
	LC₅₀, 96 hours: 2200 (DISTILLATES (PETROLEUM), HYDROTREATED LIGHT; KEROSINE – UNSPECIFIED) mg/l, Algae	
12.2. Persistence and degrada	bility	
Persistence and degradability	There are no data on the degradability of this product.	
12.3. Bioaccumulative potentia	<u> </u>	
Bioaccumulative potential	No data available on bioaccumulation.	
Partition coefficient	Not determined.	
12.4. Mobility in soil		
Adsorption/desorption coefficient	Not available.	
12.5. Results of PBT and vPvB assessment		
Results of PBT and vPvB assessment	This substance is not classified as PBT or vPvB according to current EU criteria.	
12.6. Other adverse effects		
Other adverse effects	Not available.	
SECTION 13: Disposal conside	erations	
13.1. Waste treatment methods	8	
General information	Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.	
Disposal methods	Confirm disposal procedures with environmental engineer and local regulations.	
SECTION 14: Transport information		
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).	
14.1. UN number		
Not applicable.		
14.2. UN proper shipping name		
Not applicable.		
14.3. Transport hazard class(e	e)	

### Transport labels

No transport warning sign required.

#### 14.4. Packing group

Not applicable.

## 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

### 14.6. Special precautions for user

Not applicable.

## 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

 National regulations
 EH40/2005 Workplace exposure limits

 EU legislation
 Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### SECTION 16: Other information

Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	04/06/2016
Revision	2
Supersedes date	21/03/2014
SDS status	Approved.
Hazard statements in full	H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects.