

Greater Engine Protection and Improved Fuel-efficiency

Carlube Triple R 0W-40 R-Tec 12 is a fully synthetic engine oil formulated to provide proven engine protection OEM's that require a 0W-40 engine oil.

Performance Benefits

Carlube Triple R 0W-40 R-Tec 12 has a unique technology that provides superior oxidation control, wear protection, cleanliness and acid neutralisation. Test results show that this oil has excellent low temperature pumpability with proven performance down to -40°C. Even at these extreme temperatures the oil protects bearings and vital components from weight loss, wear and corrosion. Carlube Triple R 0W-40 R-Tec 12 provides excellent fuel economy performance and keeps engines clean by reducing build-up of sludge in critical areas. This product offers excellent viscosity increase control in both gasoline and diesel engines and prevents varnishes building up on pistons, keeping grooves cleaner and piston rings free.

Soot induced viscosity control



■ Viscosity increase at 100°C at 6% soot, cSt ■ Performance reserve

Carlube Triple R 0W-40 Fully Synthetic R-Tec 12 protects engines from wear and corrosion all year round.





Carlube Triple R 0W-40 Fully Synthetic R-Tec 12 Performance Specifications

Issuing Body	Performance Specification
ACEA	A3/B3, A3/B4
API	SN
Daimler	MB 229.3/229.5
BMW	BMW LL-01
VW	VW 50200/50500
Porsche	Porsche A40
Renault	RN 0700/0710
Ford	Ford WSS-M2C937-A



Product Reference

Size	Part No	Barcode
1 Litre	KFB001	5010373117521
5 Litre	KFB005	5010373117538

Properties

Property		Result
SAE Viscosity Grade		0W-40
Density @ 15°C (g/mL)		0.845
Kinematic Viscosity (mm ₂ /s)	@40°C	70.0
	@100°C	13.20
Viscosity Index (VI)		194
Pour Point (°C)		-40°C
Flash Point (°C)		>220°C
Sulphated Ash (%)		1.10

Environmental Protection & Safety Precautions

Do not pour used surplus oil down sewers or drains. Dispose of used or surplus oil at your nearest oil-recycling bank. Dispose of empty packs in a responsible manner. Store container in an upright position and secure when transported. Wear goggles if splashing risk. Avoid exposure to oil mist. When using oil do not eat, drink or smoke. Wash hands after use.

Disclaimer

This Product Information Sheet does not constitute to any extent a fitness for purpose warranty or a quality specification. It is intended to be indicative only of the general characteristics of the product(s) and may not be relied upon (in whole or in part) in substitution of nor as a supplement to any of the information and/or instructions and/or warnings set out on the product(s) and/or on any packaging and/or in the relevant Safety Data Sheet (which is available on request).

Users of a product marked "For Professional Use Only" are deemed to declare and acknowledge for themselves professional levels of skill, knowledge, competence and experience in the selection and use of such product(s).

Product Information Sheets are updated from time to time and inquiries should be made on a regular basis to ensure that this is the latest version available.

