

SAFETY DATA SHEET TRIPLE T 10W-30 SHPD E7

SECTION 1: Identification of t	he substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	TRIPLE T 10W-30 SHPD E7
Product number	KAL020, KAL050, KAL199
1.2. Relevant identified uses of	of the substance or mixture and uses advised against
Identified uses	Engine oil.
1.3. Details of the supplier of t	the safety data sheet
Supplier Manufacturer	TETROSYL LIMITED Bury Lancashire England BL9 7NY 0161 764 5981 0161 797 5899 info@tetrosyl.com TETROSYL LIMITED Bury Lancashire England BL9 7NY 0161 764 5981 0161 775 5899 info@tetrosyl.com
1.4. Emergency telephone nu	mber
Emergency telephone	+44 (0)161 764 5981
SECTION 2: Hazards identific	ation
2.1. Classification of the subst	tance or mixture
Classification (EC 1272/2008)	
Physical hazards	Not Classified
Health hazards	Not Classified
Environmental hazards	Aquatic Chronic 3 - H412
2.2. Label elements Hazard statements	H412 Harmful to aquatic life with long lasting effects. EUH208 Contains BENZENESULFONIC ACID, MONO-C16-24-ALKYL DERIVS., CALCIUM SALTS. May produce an allergic reaction.

Precautionary statements	P273 Avoid release to the environment.
	P501 Dispose of contents/ container in accordance with national regulations.
	P101 If medical advice is needed, have product container or label at hand.
	P102 Keep out of reach of children.

2.3. Other hazards

This product does not contain any	Substances classified as PDT OF VEV.	
SECTION 3: Composition/informat	ion on ingredients	
3.2. Mixtures		
MINERAL OIL - H304 (<3% DMS	O EXTRACT, IP 346)	5-<10%
CAS number: 64742-55-8	EC number: 265-158-7	REACH registration number: 01- 2119487077-29-0000
Classification Asp. Tox. 1 - H304		
PHOSPHORODITHIOIC ACID, M DIMETHYLBUTYL AND ISO-PR)I	-	1-<2.5%
CAS number: 84605-29-8	EC number: 283-392-8	REACH registration number: 01- 2119493626-26-0000
Classification Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 2 - H411		
BENZENESULFONIC ACID, MOI DERIVS., CALCIUM SALTS	NO-C16-24-ALKYL	0.5-<1%
	EC number: 274-263-7	REACH registration number: 01-
CAS number: 70024-69-0		2119492616-28-0000
CAS number: 70024-69-0 Classification Skin Sens. 1 - H317		2119492616-28-0000
Classification		2119492616-28-0000 0.1-<0.3%
Classification Skin Sens. 1 - H317	MERS (BRANCHED)	
Classification Skin Sens. 1 - H317 DODECYLPHENOL, MIXED ISO	MERS (BRANCHED)	0.1-<0.3% REACH registration number: 01-

0,0,0-TRIPHENYL PHOS	PHOROTHIOATE 0.1-<0.3%
CAS number: —	EC number: 209-909-9
Classification Repr. 2 - H361fd Aquatic Chronic 4 - H413	
DIPHENYLAMINE	0.001 - <0.1%
CAS number: 122-39-4	EC number: 204-539-4
M factor (Acute) = 1	M factor (Chronic) = 1
Classification Acute Tox. 3 - H301 Acute Tox. 3 - H311 Acute Tox. 3 - H331 STOT RE 2 - H373 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	
The full text for all hazard st	atements is displayed in Section 16.
SECTION 4: First aid measu	Ires
4.1. Description of first aid m	neasures
General information	Get medical attention if any discomfort continues. Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
Inhalation	If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
Ingestion	Contact physician if larger quantity has been consumed. Rinse mouth thoroughly with water.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Do not rub eye.
4.2. Most important symptor	ns and effects, both acute and delayed
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Effects may be delayed. Keep affected person under observation.
Inhalation	May cause an asthma-like shortness of breath. Vapours may cause headache, fatigue, dizziness and nausea.
Ingestion	May cause discomfort if swallowed. May cause stomach pain or vomiting. May cause nausea headache, dizziness and intoxication.
Skin contact	Prolonged or repeated contact with skin may cause irritation, redness and dermatitis.
Eye contact	May cause temporary eye irritation.
4.3. Indication of any immed	liate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Extinguish with the following media: Foam, carbon dioxide or dry powder. Use fire- extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising fro	om the substance or mixture
Specific hazards	Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2). No unusual fire or explosion hazards noted.
Hazardous combustion products	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Oxides of carbon.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Leave danger zone immediately.
SECTION 6: Accidental releas	e measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
Personal precautions	Follow precautions for safe handling described in this safety data sheet. Avoid inhalation of vapours. Avoid contact with eyes and prolonged skin contact. Provide adequate ventilation. In case of spills, beware of slippery floors and surfaces.
6.2. Environmental precaution	<u>S</u>
Environmental precautions	Avoid or minimise the creation of any environmental contamination. Do not discharge into drains or watercourses or onto the ground. Collect and dispose of spillage as indicated in Section 13.
6.3. Methods and material for	containment and cleaning up
Methods for cleaning up	Stop leak if possible without risk. Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Provide adequate ventilation. Contain spillage with sand, earth or other suitable non-combustible material. Avoid the spillage or runoff entering drains, sewers or watercourses. Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely.
6.4. Reference to other section	<u>e</u>
Reference to other sections	Wear protective clothing as described in Section 8 of this safety data sheet. Collect and dispose of spillage as indicated in Section 13. The product contains a substance which is hazardous to aquatic organisms and which may cause long term adverse effects in the aquatic environment. See Section 12 for additional information on ecological hazards.
SECTION 7: Handling and sto	rage
7.1. Precautions for safe hand	ling
Usage precautions	Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Do not eat, drink or smoke when using the product. Avoid the formation of mists. Provide adequate ventilation. Always remove oil with soap and water or skin cleaning agent, never use organic solvents. Do not use oil-contaminated clothing or shoes, and do not put rags moistened with oil into pockets.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions

Keep containers upright. Store in tightly-closed, original container.

7.3. Specific end use(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

DIPHENYLAMINE

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ Short-term exposure limit (15-minute): WEL 20 mg/m³ WEL = Workplace Exposure Limit

8.2. Exposure controls

Protective equipment





Appropriate engineering controls	Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Nitrile rubber. It should be noted that liquid may penetrate the gloves. Frequent changes are recommended.
Other skin and body protection	Wear appropriate clothing to prevent repeated or prolonged skin contact.
Hygiene measures	Wash contaminated clothing before reuse. Wash promptly with soap and water if skin becomes contaminated.
Respiratory protection	No specific recommendations.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance	Clear liquid.
Colour	Brown.
Odour	Oil-like.
рН	Not determined.
Melting point	Not determined.
Initial boiling point and range	>250°C @ 1.013 hPa
Flash point	210°C
Evaporation rate	Not determined.
Evaporation factor	Not determined.
Flammability (solid, gas)	Not determined.

Upper/lower flammability or explosive limits	Not determined.
Vapour pressure	Not determined.
Vapour density	Not determined.
Relative density	0.860g/cm³ @ 20°C
Solubility(ies)	Insoluble in water.
Partition coefficient	Not determined.
Auto-ignition temperature	Not determined.
Decomposition Temperature	Not determined.
Viscosity	70 mm²/s @ 40°C
Explosive properties	Not considered to be explosive.
Explosive under the influence of a flame	Not considered to be explosive.
9.2. Other information	
Other information	None.
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	There are no known reactivity hazards associated with this product.
10.2. Chemical stability	
Stability	No particular stability concerns.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	Not applicable.
10.4. Conditions to avoid	
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.
10.5. Incompatible materials	
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
10.6. Hazardous decompositio	on products
Hazardous decomposition products	Does not decompose when used and stored as recommended.
SECTION 11: Toxicological int	formation
11.1. Information on toxicologi	cal effects
Toxicological effects	No information available.
·	
Inhalation	No specific health hazards known.
Ingestion	May cause discomfort if swallowed.

Skin contact	The product contains a small amount of sensitising substance which may provoke an allergic reaction among sensitive individuals after repeated contact. Prolonged and frequent contact may cause redness and irritation.
Eye contact	May cause temporary eye irritation.
SECTION 12: Ecological Infor	mation
Ecotoxicity	Dangerous for the environment if discharged into watercourses. The product contains a substance which is harmful to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.
12.1. Toxicity	
Acute toxicity - fish	Not available.
Acute toxicity - aquatic invertebrates	Not available.
12.2. Persistence and degrad	ability
Persistence and degradability	There are no data on the degradability of this product.
12.3. Bioaccumulative potenti	
Bioaccumulative potential	No data available on bioaccumulation.
Partition coefficient	Not determined.
12.4. Mobility in soil	
Adsorption/desorption coefficient	Not available.
12.5. Results of PBT and vPv	B assessment
Results of PBT and vPvB assessment	This substance is not classified as PBT or vPvB according to current EU criteria.
12.6. Other adverse effects	
Other adverse effects	Not available.
SECTION 13: Disposal consid	lerations
13.1. Waste treatment method	
General information	Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
Disposal methods	Confirm disposal procedures with environmental engineer and local regulations.
SECTION 14: Transport inform	nation
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).
14.1. UN number	
Not applicable.	
14.2. UN proper shipping nam	
Not applicable.	
14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture	
Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).	

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information		
Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.	
Revision date	08/08/2016	
Revision	0	
SDS number	32036	
SDS status	Approved.	

Hazard statements in full	 H301 Toxic if swallowed. H304 May be fatal if swallowed and enters airways. H311 Toxic in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H361ff Suspected of damaging fertility. H361fd Suspected of damaging fertility. Suspected of damaging the unborn child. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H413 May cause long lasting harmful effects to aquatic life. EUH208 Contains BENZENESUL EQNIC ACID MONO-C16-24-ALKYL DERIVS CAUCIUM
	H413 May cause long lasting harmful effects to aquatic life. EUH208 Contains BENZENESULFONIC ACID, MONO-C16-24-ALKYL DERIVS., CALCIUM SALTS. May produce an allergic reaction.